

# Index to Volume 21, 1984

Acid-base chemistry, reliability of Henderson-Hasselbach equation 26: correspondence 224: reply 334

'Acute phase' proteins, serum ferritin, changes following major surgery 290

Agarose gel, immunofixation and immunosubtraction, aid in typing of monoclonal gammopathies 467

ALBERTI KGMM *see* ROWAN RM *et al.* and WALFORD S *et al.*

Albumin

- carbodiimide-assisted coupling to agarose: technical note 57
- plasma determination
  - by Beckman Astra 8 (BCG) and Du Pont ACA II (BCP) autoanalyzers, effect of heparin 387
  - homogeneous fluoroimmunoassay using Lucifer yellow VS 59

Alcohol intake and liver function tests, relationship between, Alcoholism Unit 261

Alkaline phosphatase isoenzyme abnormality, new 352

Alkaline ribonuclease, plasma, as indicator of protein nutritional status in infancy, critical assessment 357

ALLEN MC *see* MOORE RA *et al.*

ALSTON WC *see* CUSICK PE *et al.*

Aluminum inhibition of enzymatic O-methylation, reversal by desferrioxamine: correspondence 223

Amerlex, free T<sub>4</sub> kit: technical note 444

Ammonia

- Checker: correspondence 69
- determination by modified Berthelot method using an AutoAnalyzer 378

Amniotic fluid

- lung function tests, evaluation: correspondence 334
- plasma and saliva, rapid assay for 17 $\alpha$ OH-progesterone using magnetisable solid-phase antiserum 417

ANDERSON D, PENNOCK CA, HENDERSON MJ and HOLTON JB: The ammonia checker: correspondence 69 *see* BRIGGS CJ *et al.*

Angiotensin-converting enzyme, human serum, kinetic fluorimetric assay 372

Anticonvulsant concentrations, distribution, computer-generated comments 184

Antigen-binding, two-site immunoradiometric assay, serum ferritin, hook effect 393

Apolipoproteins, immunochemical determination, chronic haemodialysis 301

ARCHER T *see* RUBIN C *et al.*

Arginine, measurement in serum, simple method 515

ARIATTI M *see* MOONSWAMI E *et al.*

ASHBY JP, DEACON AC and RINSLER MG: Glycosylated haemoglobin in diabetic pregnancy: correspondence 224

Aspirin metabolites, causing misinterpretation of paracetamol results 527

Atomic absorption spectroscopy and flow-injection analysis, calcium and magnesium 51

ATTWOOD EC *see* WHITE WA and ATTWOOD EC

Autoanalyzers, Beckman Astra 8 (BCG) and Du Pont ACA II (BCP), determination of plasma albumin, effect of heparin 387

2,2'-Azino-di(3-ethylbenzthiazoline-6-sulphonate) (ABTS), chromogen in enzymatic assay of serum uric acid 504

BADCOCK NA, PENNA AC, EVERETT DS and SANSOM LN: Aspirin metabolites causing misinterpretation of paracetamol results 527

BAILEY MP, ROCKS BF and RILEY C: Homogeneous fluoroimmunoassay using Lucifer yellow VS: determination of albumin plasma 59

BALDWIN D *see* MOORE RA *et al.*

BALLANTYNE FC: Role of the clinical biochemistry laboratory in the assessment of dyslipoprotein-aemias: review article 166

BANDO K, SHIMOTSUJI T, TOYOSHIMA H, HAYASHI C and MIYAI K: Fluorometric assay of human serum carnosinase activity in normal children, adults and patients with myopathy 510

BARNARD GJ *see* BROCKELBANK JL *et al.*

BATSTONE F *see* COOMBES EJ *et al.*

BEGETH RHJ: The value of carcinoembryonic antigen measurement in clinical practice: review article 231

BENNETT MJ and CARPENTER KH: Experience with a simple high-performance liquid chromatography method for the analysis of purine and pyrimidine nucleosides and bases in biological fluids 131

GREEN A, POLLITT RJ and WORTHY E: The routine investigation of urinary organic acids in selected paediatric patients: results over a 2½ year period 45

BENNIGE JG *see* HUNTER WM *et al.*

BERG JD, PANDOV HI and SAMMONS HG: Serum total bile acid levels in patients receiving rifampicin and isoniazid 218

BERGER HM *see* SCOTT PH *et al.*

BERKEŠ I *see* MAJKIĆ-SINGH N *et al.*

Berthelot method, modified, using an AutoAnalyzer, ammonia determination 378

Bile acids

- glycine/taurine conjugates, analysis by high-performance thin-layer chromatography and densitometry 137
- serum levels and rifampicin and isoniazid 218

BISHOP N *see* NEWILL A *et al.*

BJURSTRÖM CH *see* HARDY MJ and BJURSTRÖM CH

Blood

- glucose reflectance meters featuring automatic external calibration, two new methods 116

pressure and chemistry, some correlations and apparent correlations 257

whole, red blood cells, plasma and dried blood, glycosylated protein, colorimetric measurement 477

**BOOK REVIEWS:**

ADDISON GM, HARKNESS RA and POLLITT RJ editors: *Trace metals and inherited metabolic disease* 1983 533

BEELER MF and CATROU PG: *Interpretations in clinical chemistry—a textbook approach to chemical pathology* 2nd edn 1983 531

BERGMEYER HU editor: *Methods of enzymatic analysis* Vol. I Fundamentals 1983 533; Vol. II, Samples, reagents, assessment of results 1983 227; Vol. III, Enzymes 1: Oxidoreductases, transferases 1983 228; Vol. IV Enzymes 2; esterases, glycosidases, lyases, ligases 1984 534

BROWN GVR, FARAH A, HERKEN H and WELSH AD editors: *Tissue growth factors* volume 57 Handbook of experimental pharmacology 1981 531

BROWN SS, CALAM DH and GLOAG EA: *Clinical laboratory science in Europe: the roles of industry, the professions and health agencies* 151

BUTTNER J: *History of clinical chemistry* 1983 151

CAMPBELL AK: *Intracellular calcium, its universal role as regulator* 1983 337

COHEN MP and FOA PP editors: *Special topics in endocrinology and metabolism* vol. 4 1983 71

COHN RM and ROTH KS: *Metabolic disease. A guide to early recognition* 1983 337

DE KRETSEK DM, BURGER HG and HUDSON B editors: *The pituitary and testis. Clinical and experimental studies*. Vol. 25. Monographs on endocrinology, series 1983 150

ELKELES RS and TAVILL AS editors: *Biochemical aspects of human disease* 1983 71

GRANT JK and BEASTALL GH: *Clinical biochemistry of steroid hormones—methods and applications* 1983 337

HADDAD LM and WINCHESTER JF editors: *Clinical management of poisoning and drug overdose* 1983 226

HALL CA: *The cobalamins*. Vol. 10, Methods in haematology, series 1983 152

HARVEY AL: *The pharmacology of nerve and muscle in tissue culture* 1984 532

JEFFCOATE SL editor: *Current topics in reproductive endocrinology*. Vol. I, Androgens and Anti-androgen therapy 1982. Vol. III, Ovulation: methods for its prediction and detection 1983 337

KABRA P and MARTON LJ editors: *Liquid chromatography in clinical analysis*. Biological methods, series 1981 151

KALDOR G: *Clinical enzymology*. Vol. 3, Methods in laboratory medicine, series 1983 338

KRUK ZL and PYCOCK CJ: *Neurotransmitters and drugs* 2nd edn 1983 150

LEFEVBRE P: *Glucagon*. Volumes 1 and 2, Hand- book of experimental pharmacology, vol. 66, parts 1 and 2 1983 226

LEFER AM and SCHUMER W editors: *Molecular and cellular aspects of shock and trauma*. Vol. 3, Progress in clinical and biological research, series 1983 72

MONTAGUE W: *Diabetes and the endocrine pancreas: a biochemical approach* 1983 228

OGSTON D: *The physiology of hemostasis* 1983 150

O'SULLIVAN DG: *Pocket examiner in biochemistry* 1983 72

PATERSON CR: *Essentials of human biochemistry* 1983 73

PRASAD AS, DREOSTI IE and HETZEL BS editors: *Clinical applications of recent advances in zinc metabolism*. Vol. 7, Current topics in nutrition and disease, series 1983 71

PROUDFOOT A: *Diagnosis and management of acute poisoning* 1982 226

RAPHAEL SS: *Lynch's medical laboratory technology* 4th edn 1983 531

READ GF, RIAD-FAHMY D, WALKER RF and GRIFFITHS K editors: *Immunoassay of steroids in saliva* 1984 532

RITZMANN SE editor: *Protein abnormalities*. Vol. 2, Pathology of immunoglobins, series 1983 72

SARKAR B editor: *Biological aspects of metals and metal-related diseases* 1983 227

SILK DB: *Nutritional support in hospital practice* 1983 531

SPEICHER CE and SMITH JW: *Choosing effective laboratory tests* 1983 336

SPENCER M editor: *Insulin-like growth factors/somatomedins* 1984 534

STATHAKOS D: *Electrophoresis '82 advanced methods. Biochemical and clinical applications* 1983 152

TRIBE DR and BACON PA editors: *Amyloidosis E.A.R.S. Proceedings of the First European amyloidosis research symposium* 1983 336

VALE JA and MEREDITH TJ editors: *Poisoning diagnosis and treatment* 1981 226

VARMA R and VARMA RS: *Mucopolysaccharides—glycosaminoglycans—of body fluids in health and disease* 1983 338

BRAVEN J, HARDWELL TR, SEDDON and WHITTAKER M: A spectrophotometric assay of phosphoribosyl pyrophosphate synthetase 366

BRIGGS, CJ, ANDERSON D and MUIRHEAD RA: Interference by thimerosal in cholesterol estimation by the CHOD-PAP method 146

BROCKELBANK JL, KIM JB, BARNARD GJ, COLLINS WP, GAIER B and KOHEN F: The measurement of urinary LH, by a solid-phase chemiluminescence immunoassay 284

BROUGHTON PMG *see* BUCKLEY BM *et al.*

BUCKLEY BM, BROUGHTON PMG, RUSSELL LJ and CARTER TJN: New ways with old ions: personal view 75

BULLINGHAM RES *see* MOORE RA *et al.*

BULLOCK DG *see* CHAMBERS RE *et al.*

BURRIN JM and PRICE CP: Performance of three enzymic methods for filter paper glucose determination 411

Caffeine  
 plasma, concentrations, measurement by substrate labelled fluoroimmunoassay 208  
 theophylline and theobromine, in serum and saliva, determination using high-performance liquid chromatography 120

CAINE S and FLECK A: Simplified analytical methods for the measurement of the synthesis rate of plasma proteins *in vivo* by the [<sup>14</sup>C]carbonate method 378

Calcium  
 and magnesium, flow-injection analysis and atomic absorption spectroscopy 51  
 free ionised, critical survey: review article 339  
 phosphorus and chromium measurement, metabolic balance studies, plasma emission spectrometry 213

Calibration material, preparation, specific protein (SPS-01) 254

CALVIN J *see* HALLWORTH MJ *et al.*

Carbodiimide-assisted coupling, albumin to agarose: technical note 57

Carbonate-<sup>14</sup>C method for plasma protein synthesis rate 378

Carcinoembryonic antigen measurement, value in clinical practice: review article 231

Carnosinase, human serum, activity, fluorometric assay in normal children, adults and patients with myopathy 510

CARPENTER KH *see* BENNETT MJ and CARPENTER KH

CARTER NG *see* TAYLOR GF *et al.*

CARTER TIN *see* BUCKLEY BM *et al.*

CASPARIE T *see* MIEDEMA K and CASPARIE T

CASSON IF, HARVEY JN and LEE MR: Reversal of aluminium inhibition of enzymatic O-methylation by desferrioxamine: correspondence 223

Catecholamines, plasma, radioenzymatic assay, single isotope 239

Cerebrospinal fluid, platelet-rich plasma, serum and urine, paired-ion liquid chromatography assay for serotonin 425

CHAKRABORTY J *see* SCOTT NR *et al.*

CHAMBERS RE, WHICHER JT and BULLOCK DG: External quality assessment of immunoassays for specific proteins in serum; 18 months' experience in the United Kingdom 246  
*see also* WARD AM *et al.* and WHICHER JT *et al.*

Chemiluminescence immunoassay, solid-phase, measuring urinary luteinising hormone 284

CHOD-PAP method  
 cholesterol estimation, thimerosal interference 146  
 with 2,4,6-tribromo-3-hydroxybenzoic acid, for HDL-cholesterol determination 430

Cholinesterase  
 phenotyping, serum, BASIC program using a micro-computer 43  
 plasma, activity, effect of storage and repeated freezing and thawing 363

Chromatography  
 affinity, measuring glycosylated plasma proteins 16  
 assay, paired-ion liquid, for serotonin in cerebrospinal fluid, platelet-rich plasma, serum and urine 425  
*see also* Gas chromatography: high-performance liquid chromatography

Chromium measurement, metabolic balance studies, plasma emission spectrometry 213

Chromogen, 2,2'-azino-di(3-ethylbenzthiazoline-6-sulphonate)(ABTS), in evaluation of enzymatic assay of serum uric acid 504

Circulating immune complexes, incidence in normal pregnancy 105

CLARK A *see* HEDLEY CP and CLARK A

COLE B *see* COMPTON P *et al.*

COLLINS WP *see* BROCKELBANK JL *et al.*

Colorimetric  
 analyses, standardisation, effect of instrument variables on calculation factors 188  
 measurement, glycosylated protein, in whole blood, red blood cells, plasma and dried blood 477  
 reactions, interference, hydrogen peroxide measurement 398

COMPTON P, COLE B, STUART M and EGAN G: The evaluation of imprecision in collaborative immunoassay quality-assessment programmes 498

Congenital adrenal hyperplasia, rapid assay for 17 $\alpha$ OH-progesterone in plasma, saliva and amniotic fluid, using magnetisable solid-phase antiserum 417

COOK, JGH *see* GOULD BJ *et al.*

COOMBES EJ, GAMLEN TR, BATSTONE F and LEIGH PN: A phenytoin assay using dried blood spot samples suitable for domiciliary therapeutic drug monitoring 519

COWELL C *see* EROSS J *et al.*

CUSICK PE, TRURAN PL, READ GF and ALSTON WC: Influence of sampling time on salivary oestriol concentrations in pregnant women 22

Cystic fibrosis protein: correspondence 70

DALTON RN: Plasma catecholamines: experience with a single-isotope radioenzymatic assay 239

DANDONA P *see* MOHIUDDIN J *et al.*

DAVIDSON GP *see* ROBB TA and DAVIDSON GP

DEACON AC *see* ASHBY JP *et al.*

DER GEER F VAN *see* VAN DER GEER F

Desferrioxamine, aluminium inhibition of enzymatic O-methylation reversal: correspondence 223

Diabetic  
 pregnancy, glycosylated haemoglobin: correspondence 224  
 subjects, vitamin C components, plasma levels 488

Digoxin, plasma, an over-used test?: personal view 449

DORAN D and MITCHELL DG: Problems in the determination of erythrocyte protoporphyrin by ethyl acetate-acetic acid extraction 141

Dried blood  
 spot samples, for phenytoin assay, suitable for domiciliary therapeutic drug monitoring 519  
 whole blood, red blood cells and plasma, colorimetric measurement of glycosylated protein 477

Drug monitoring, therapeutic, domiciliary, phenytoin assay using dried blood spot samples 519  
 screening, gas chromatography 92  
 DUONG T *see* TAYLOR GF *et al.*

DYAS J, READ GF, GUHA-MAULIK T, HUGHES IA and RIAD-FAHMY D: A rapid assay for 17 $\alpha$ OH-progesterone in plasma, saliva and amniotic fluid using a magnetisable solid-phase antiserum 417

Dyslipoproteinaemias, assessment, role of clinical biochemistry laboratory: review article 166

EGAN G *see* COMPTON P *et al.*  
 Elderly, serum pancreatic enzymes in 102  
 Emergency clinical biochemistry tests, inter-laboratory quality-assurance survey 494

Enzyme-mediated reaction systems in measurement of uric acid, problems 405  
 methods, filter paper glucose determination, performance 411

ERROSS J, KREUTZMANN D, JIMENEZ M, KEEN R, ROGERS S, COWELL C, VINES R and SILINK M: Colorimetric measurement of glycosylated protein in whole blood, red blood cells, plasma and dried blood 477

ERUK AA, WASHINGTON RJ and LAING I: The preparation and characterization of alkaline phosphatase-thyroxine conjugates and their use in the enzyme immunoassay of thyroxine 434

Ethyl acetate-acetic acid extraction, protoporphyrin erythrocyte determination 141

EVANS JR, OGSTON S, GUTHRIE A, JOHNSON B and MCKECHNIE L: The relationship between liver function tests and alcohol intake in patients admitted to an Alcoholism Unit 261

EVERETT DS *see* BADCOCK NR *et al.*

FAIRCLOUGH D *see* ROBERTS NB *et al.*  
 FELL GS: Lead toxicity: problems of definition and laboratory evaluation: review article 453

Ferritin estimations  
 plasma, use to study effects of iron supplements on iron deficiency, Northern Thai population 268  
 serum  
   'acute phase' proteins, changes following major surgery 290  
   and human liver, microheterogeneity, measured on minute amounts of ferritin in crude samples 471  
   antigen binding in two-site immunoradiometric assay, hook effect 393  
   measurement by single-step immunoradiometric assay 389

FIFIELD R *see* WARD AM *et al.*  
 Filter paper glucose determination, three enzymic methods, performance 411

FLECK A *see* CAINE S and FLECK A  
 Flow-injection analysis and atomic absorption spectroscopy, calcium and magnesium 51

Fluorescence polarisation immunoassay, serum theophylline 523

Fluoroimmunoassay  
 homogeneous, using Lucifer yellow VS, plasma albumin determination 59

substrate labelled, plasma caffeine concentrations, measurement 208

FOO A YING *see* YING FOO A

FRANKLIN RC *see* O'GRADY CM and FRANKLIN RC

FRASER CG *see* PEAKE MJ *et al.*, and WATKINSON LR and FRASER CG

GAIER B *see* BROCKELBANK JL *et al.*  
 $\beta$ -D-Galactosidase from *Escherichia coli* and horseradish peroxidase, evaluation as labels by sandwich enzyme immunoassay technique 310

GAMLEN TR *see* COOMBES EJ *et al.*

Gas chromatography  
 drug screening 92  
 urinary catecholamine metabolite determination: correspondence 148

GAZZARD BG *see* THEODOSSI A and GAZZARD BG

GEBHARDT DOE, SCHICHT IM and PAUL LC: The immunochemical determination of apolipoprotein A, total apolipoprotein A-I and 'free' apolipoprotein A-I in serum of patients on chronic haemodialysis 301

GEER F VAN DER *see* VAN DER GEER F

GIPS CH *see* HUIZENGA JR and GIPS CH

Glucagon RIA, addition of dehormonized, deproteinized plasma, increasing steepness and sensitivity of standard curves: technical note 332

Glucose determination, filter paper, performance of three enzymic methods 411

Glycosylated haemoglobins  
 diabetic pregnancy: correspondence 224  
 biochemical evaluation and clinical utility 2  
*see also* Proteins, glycosylated

GOLDSCHMIDT HMJ *see* LEIJTEN JF *et al.*

GOULD BJ, HALL PM and COOK JGH: A sensitive method for the measurement of glycosylated plasma proteins using affinity chromatography 16

GREEN A *see* BENNETT MJ *et al.*

GREEN MF *see* MOHIUDDIN J *et al.*

GUHA-MAULIK T *see* DYAS J *et al.*

GUTHRIE A *see* EVANS JR *et al.*

HABIBZADEH N *see* NEWILL A *et al.*  
 Haemodialysis, chronic, immunochemical determination of apolipoproteins 301

Haemoglobins, glycosylated  
 biochemical evaluation and clinical utility 2  
 diabetic pregnancy: correspondence 224

HALL PM *see* GOULD BJ *et al.*

HALL RA *see* TURNER JM *et al.*

HALLWORTH MJ, CALVIN J and PRICE CP: Determination of retinol-binding protein in serum by kinetic immunonephelometry with polyethylene glycol pre-treatment 484

HARDWELL TR *see* BRAVEN J *et al.*

HARDY MJ and BJURSTRÖM CH: Effect of heparin on determination of plasma albumin by Beckman Astra 8 (BCG) and Du Pont ACA II (BCP) auto-analysers: technical note 387

HARVEY JN *see* CASSON IF *et al.*

HASHIDA S *see* IMAGAWA M *et al.*

HAWTREY AO *see* MOONSWAMI E *et al.*

HAYASHI C *see* BANDO K *et al.*

HDL-cholesterol, determination using 2,4,6-tribromo-

3-hydroxybenzoic acid with commercial CHOD-PAP reagent 430

HEDLEY CP and CLARK A: An improved method for separation of bound and free fractions in a free-T<sub>4</sub> kit: technical note 444

HENDERSON AR *see* LOUGHLIN JF *et al.*

Henderson-Hasselbalch equation, reliability, acid-base chemistry 26: correspondence 224: reply 334

HENDERSON MJ *see* ANDERSON D *et al.*

Heparin, effect on determination of plasma albumin by Beckman Astra 8 (BCG) and Du Pont ACA II (BCP) autoanalysers: technical note 387

High-performance liquid chromatography: determination of caffeine, theophylline and theobromine in serum and saliva 120

morphine, electrochemical detection, plasma 125

purine and pyrimidine nucleosides and bases, biological fluids, analysis 131

High-performance thin-layer chromatography and densitometry, bile acids, glycine/taurine conjugates, analysis 137

HOBBS JR *see* WARD AM *et al.*

HOLTON JB *see* ANDERSON D *et al.*

HOME PD *see* WALFORD S *et al.*

Hook effect, nature, antigen binding in two-site immunoradiometric assay for serum ferritin 393

HUGHES IA *see* DYAS J *et al.*

HUIZENGA JR and GIPS CH: The Ammonia Checker: correspondence reply 69

HUNTER WM, BENNIE JG, KELLETT HA, MICKLEM LR, SCOTT A and JAMES K: A monoclonal antibody-based immunoradiometric assay for h-LH 275

HURRELL AE *see* LEGG EF and HURRELL AE

Hydrogen peroxide, measuring, interference in colorimetric reactions 398

Hyperlipoproteinæmias, classification by computer interpretation 326

IMAGAWA M, HASHIDA S, OHTA Y and ISHIKAWA E: Evaluation of  $\beta$ -D-galactosidase from *Escherichia coli* and horseradish peroxidase as labels by sandwich enzyme immunoassay technique 310

Immunoassay

- chemiluminescence, solid-phase, measuring urinary luteinising hormone 284
- quality-assessment programmes, collaborative, imprecision evaluation 498
- specific proteins in serum, external quality assessment, United Kingdom, 18 months' experience 246

Immunofixation and immunosubtraction on agarose gel, aid in typing of monoclonal gammopathies 467

Immunoglobulins

- assays, role in clinical medicine: review article 461
- assays, immunochemical: review article 78

Immunoradiometric assay

- monoclonal antibody-based, for luteinising hormone 275
- serum ferritin measurement 389
- serum ferritin, nature of the hook effect 393

Immunosubtraction and immunofixation on agarose gel, aid in typing of monoclonal gammopathies 467

Imprecision, in collaborative immunoassay quality-assessment programmes, evaluation 498

Inter-laboratory quality-assurance survey, emergency clinical biochemistry tests 494

Ion-selective electrodes technology: personal view 75

Ionised calcium, free *see* Calcium, ionised free

Iron deficiency, Northern Thai population, effects of iron supplements studied by means of plasma ferritin estimations 268

ISHIKAWA E *see* IMAGAWA M *et al.*

Isoniazid and rifampicin, bile acid serum levels 218

JACOB E *see* TAN I-K and JACOB E

JAMES DR and PRICE CP: Interference in colorimetric reactions for measuring hydrogen peroxide 398

Problems associated with the measurement of uric acid using two enzyme-mediated reaction systems 405

JAMES K *see* HUNTER WM *et al.*

JARVIE DR and SIMPSON D: Gas chromatographic screening for drugs and metabolites in plasma and urine 92

JIMENEZ M *see* EROSS J *et al.*

JOHNSTON B *see* EVANS JR *et al.*

JUNGLEE D *see* MOHIUDDIN J *et al.*

KAEVVICHIT R *see* LINPISARN S *et al.*

KATRAK A *see* MOHIUDDIN J *et al.*

KEEN R *see* EROSS J *et al.*

KELLETT HA *see* HUNTER WM *et al.*

KILPATRICK DC and WESTON J: A re-examination of the incidence of circulating immune complexes in normal pregnancy 105

KIM JB *see* BROCKELBANK JL *et al.*

KIND PRN *see* YUEN CT *et al.*

Kinetic immunonephelometry, with polyethylene glycol pretreatment, to determine retinol-binding protein in serum 484

KOHEN F *see* BROCKELBANK JL *et al.*

KOVAR IZ *see* MAYNE PD *et al.*

KREUTZMANN D *see* EROSS J *et al.*

KRICKA LJ *see* LINPISARN S *et al.* and TURNER JM *et al.*

KWARTS E, KWARTS J and RUTGERS H: A simple paired-ion liquid chromatography assay for serotonin in cerebrospinal fluid, platelet-rich plasma, serum and urine 425

KWARTS J *see* KWARTS E *et al.*

Laboratory tests, costs 109

LAING I *see* EERUK AA *et al.*

LAKER MF *see* ROWAN RM *et al.*

Lead toxicity, problems of definition and laboratory evaluation: review article 453

LEE MR *see* CASSON IF *et al.*

LEGG EF and HURRELL AE: External quality assessment of quantitative urinary analysis 491

LEIGH PN *see* COOMBS EJ *et al.*

LEIJTEN JF, VAN DER GEER F, SCHOLTEN MNM and GOLDSCHMIDT HMJ: The costing of tests in a laboratory for clinical chemistry and haematology 109

LEUNG FY *see* LOUGHLIN JF *et al.*

LINPISARN S, THANANGKUL O, SUWANRAJ C, KAEWICHIT R, KRICKA LJ and WHITEHEAD TP: Iron deficiency in a Northern Thai population: the effects of iron supplements studied by means of plasma ferritin estimations 268

LINTHORST C *see* ZUYDERHOUD FMJ and LINTHORST C

LISSENS WD *see* VANSTAPEL FJ and LISSENS WD

Liver function tests and alcohol intake, relationship between, Alcoholism Unit 261

LOUGHLIN JF, LEUNG FY and HENDERSON AR: Classification of hyperlipoproteinemia by computer interpretation 326

TUCKERMAN JF and HENDERSON AR: A BASIC program for serum cholinesterase phenotyping using a microcomputer 43

Lucifer yellow VS, homogeneous fluoroimmunoassay, albumin plasma determination 59

Luteinising hormone

- monoclonal antibody-based immunoradiometric assay 275
- urinary, measurement by solid-phase chemiluminescence immunoassay 284

MAAS AHJ, RISPENS P, SIGGAARD-ANDERSEN O and ZIJLSTRA WG: On the reliability of the Henderson-Hasselbach equation in routine clinical acid-base chemistry 26: correspondence reply: 334

MCKECHNIE L *see* EVANS JR *et al.*

MCQUAY HJ *see* MOORE RA *et al.*

Magnesium and calcium, flow-injection analysis and atomic absorption spectroscopy 51

Magnetisable solid-phase antiserum, for rapid assay for 17 $\alpha$ OH-progesterone in plasma, saliva and amniotic fluid 417

MAGUIRE GA and PRICE CP: A kinetic fluorimetric assay for the measurement of angiotensin-converting enzyme in human serum 372

MAJKIĆ-SINGH N, SAID BA, SPASIĆ S and BERKEŠ I: Evaluation of the enzymatic assay of serum uric acid with 2,2'-azino-di(3-ethylbenzthiazoline-6-sulphonate) (ABTS) as chromogen 504

Malabsorption, chemical tests, role in diagnosis: review article 153

MARKS V *see* PEARSON S *et al.* and SCOTT NR *et al.*

MARTIN NG *see* WHITFIELD JB and MARTIN NG

MAYNE, PD, YING, FOO A, MICHELSON R, KOVAR IZ and ROSALKI SB: A new alkaline phosphatase isoenzyme abnormality 352

Metabolic balance studies, calcium, phosphorus and chromium measurement, plasma emission spectrometry 213

Metanephrenes, urinary, Sotalol interference with Pisano method: technical note 446

MICHELSON R *see* MAYNE PD *et al.*

MICHLEM LR *see* HUNTER WM *et al.*

MIEDEMA K and CASPARIE T: Glycosylated haemoglobins: biochemical evaluation and clinical utility 2: correspondence reply 224

MITCHELL DG *see* DORAN D and MITCHELL DG

MIYAI K *see* BANDO K *et al.*

MOHIUDDIN J, KATRAK A, JUNGLEE D, GREEN MF and DANDONA P: Serum pancreatic enzymes in the elderly 102

Monoclonal antibody-based immunoradiometric assay for luteinising hormone 275

Monoclonal gammopathies, immunofixation and immunosubtraction on agarose gel, aid in typing 467

MOONSWAMI E, URBANOWICZ JSM, ARIATTI M and HAWTREY AO: A carbodiimide-assisted coupling of albumin to agarose: technical note 57

MOORE RA, BALDWIN D, ALLEN MC, WATSON PJQ, BULLINGHAM RES and MCQUAY HJ: Sensitive and specific morphine radioimmunoassay with iodine label: pharmacokinetics of morphine in man after intravenous administration 318

MOORE RA, BALDWIN D, MCQUAY HJ and BULLINGHAM RES: HPLC of morphine with electrochemical detection: analysis in human plasma 125

MORGAN DB: Plasma digoxin: an over-used test? personal view 449

Morphine

- HPLC, electrochemical detection, plasma 125
- radioimmunoassay, sensitive and specific, with iodine label 318

MUIRHEAD RA *see* BRIGGS CJ *et al.*

MUSKIET FAJ and WOLTHERS BG: Gas-chromatographic determination of urinary catecholamine metabolites: correspondence 148

Myopathy, fluorometric assay of human serum carnosinase activity 510

NAG (N-acetyl- $\beta$ -D-glucosaminidase) colorimetric assay, pathological urine, using  $\omega$ -nitrostyryl substrate 295

NEWILL A, HABIBZADEH N, BISHOP N and SCHORAH CJ: Plasma levels of vitamin C components in normal and diabetic subjects 488

NOE DA: Thyroxine and thyroxine-binding globulin: discriminant formulae for the separation of the diagnostic classes of thyroid function 40

Oestriol, salivary, influence of sampling time, pregnancy 22

O'GRADY CM and FRANKLIN RC: Thyroid hormone concentrations and free thyroxine status in neonatal venous and capillary serum pairs 306

ÖGSTON S *see* EVANS JR *et al.*

OHTA Y *see* IMAGAWA M *et al.*

Organic acid analysis, urinary, routine investigation in children 45

Paired-ion liquid chromatography assay for serotonin in cerebrospinal fluid, platelet-rich plasma, serum and urine 425

Pancreatic enzymes, serum, in the elderly 102

PANDOV HI *see* BERG JD *et al.*

Paracetamol results, aspirin metabolites causing misinterpretation 527

PAUL LC *see* GEBHARDT DOE *et al.*

PAYNE RB *see* YOUNG RM *et al.*

PEAKE MJ, PEJAKOVIC M and FRASER CG: The effect of instrument variables on calculation factors for standardisation of colorimetric analyses 188

PEARSON S, SMITH JM and MARKS V: Measurement of plasma caffeine concentrations by substrate labelled fluoroimmunoassay 208

PEJAKOVIC M *see* PEAKE MJ *et al.*

PENNA AC *see* BADCOCK NR *et al.*

PENNOCK CA *see* ANDERSON D *et al.*

PERERA P and WORWOOD M: Antigen binding in the two-site immunoradiometric assay for serum ferritin: the nature of the hook effect 393  
A single-step immunoradiometric assay for the measurement of serum ferritin 389

Phenytoin assay, using dried blood spot samples, suitable for domiciliary therapeutic drug monitoring 519

Phosphoribosyl pyrophosphate synthetase, spectrophotometric assay 366

Phosphorus measurement, metabolic balance studies, plasma emission spectrometry 213

Pisano method for urinary metanephrenes, Sotalol interference: technical note 446

Plasma constituents, inheritance, twin study 176  
emission spectrometry, calcium, phosphorus and chromium measurement, metabolic balance studies 213  
levels of vitamin C components, normal and diabetic subjects 488  
platelet-rich, cerebrospinal fluid, serum and urine, paired-ion liquid chromatography assay for serotonin 425  
saliva and amniotic fluid, rapid assay for 17 $\alpha$ -OH-progesterone using magnetisable solid-phase antiserum 417  
whole blood, red blood cells and dried blood, colorimetric measurement of glycosylated protein 477  
see also Dried blood and other specific headings

POLLITT RJ see BENNETT MJ *et al.*

Polyethylene glycol pretreatment, with kinetic immunonephelometry, to determine retinol-binding protein in serum 484

PRAILL PFG see YUEN CT *et al.*

Pregnancy  
diabetic, glycosylated haemoglobins, correspondence 224  
normal, incidence of circulating immune complexes 105  
salivary oestriol, influence of sampling time 22

PRICE CP see BURRIN JM and PRICE CP, HALLWORTH MJ *et al.*, JAMES DR and PRICE CP, MAGUIRE GA and PRICE CP

PRICE RG see YUEN CT *et al.*

17 $\alpha$ -OH-progesterone in plasma, saliva and amniotic fluid, rapid assay, using magnetisable solid-phase antiserum 417

Proteins  
'acute phase', serum ferritin, changes following major surgery 290  
assays, (SPS-01), preparation of calibration material 254  
glycosylated, in whole blood, red blood cells, and dried blood, colorimetric measurement 477  
glycosylated, plasma, measurement using affinity chromatography 16  
nutritional status, infancy, plasma alkaline ribonuclease as indicator, critical assessment 357  
plasma, synthesis rate, [ $^{14}\text{C}$ ]carbonate method 378  
retinol-binding, determination in serum by kinetic immunonephelometry with polyethylene glycol pretreatment 484  
specific, in serum, immunoassays, external quality assessment (UK), 18 months' experience 246

Purine and pyrimidine nucleosides and bases, biological fluids, analysis using high-performance liquid chromatography 131

Pyrimidine and purine nucleosides and bases, biological fluids, analysis using high-performance liquid chromatography 131

Quality  
assessment, external, immunoassays, specific proteins in serum, UK, 18 months' experience 246  
assurance, Third World, Singapore experience 193  
control programme, assaying sera 64

Radioenzymatic assay, single isotope, plasma catecholamines 239

READING GF see CUSICK PE *et al.* and DYAS J *et al.*

READING A see WATSON D and READING A

Red blood cells, whole blood, plasma and dried blood, glycosylated protein, colorimetric measurement 477

Retinol-binding protein, determination in serum by kinetic immunonephelometry with polyethylene glycol pretreatment 484

Review articles  
Free ionised calcium—a critical survey 339  
Have chemical tests a role in diagnosing malabsorption? 153  
Immunochemical assays for immunoglobulins 78  
Lead toxicity: problems of definition and laboratory evaluation 453  
Role of the clinical biochemistry laboratory in the assessment of dyslipoproteinaemias 166  
The role of immunoglobulin assays in clinical medicine 461  
The value of carcinoembryonic antigen measurement in clinical practice 231

RIAD-FAHMY D see DYAS J *et al.*

Ribonuclease, alkaline, plasma, as indicator of protein nutritional status in infancy, critical assessment 357

RICHARDSON AC see YUEN CT *et al.*

RICHARDSON T: The effect of computer generated comments on the distribution of anticonvulsant concentrations 184

RICHES PG see WARD AM *et al.*

Rifampicin and isoniazid, bile acid serum levels 218

RILEY C see BAILEY MP *et al.* and ROCKS BF *et al.*

RINSLER MG see ASHBY JP *et al.*

RISPENS P see MAAS AHJ *et al.*

ROBB TA and DAVIDSON GP: Analysis of individual bile acids and their glycine/taurine conjugates by high-performance thin-layer chromatography and densitometry 137

ROBERTS I and SMITH IM: A simple method for the measurement of arginine in serum 515

ROBERTS NB, FAIRCLOUGH D and TAYLOR WH: Plasma emission spectrometry: measurement of calcium, phosphorus and chromium in metabolic balance studies 213

ROBINSON PA and VICKERS MF: The elusive cystic fibrosis protein: correspondence 70

ROCKS BF, SHERWOOD RA and RILEY C: Direct determination of calcium and magnesium in serum using flow-injection analysis and atomic absorption spectroscopy 51

ROCKS BF *see* BAILEY MP *et al.*

ROGERS S *see* EROSS J *et al.*

ROSALKI SB *see* MAYNE PD *et al.*

ROWAN RM, LAKER MF and ALBERTI KGMM: The implications of assaying external quality control sera under 'special conditions' 64

ROWE DJF *see* RUBIN C *et al.*

RUBIN C, WOOD PJ, ARCHER T and ROWE DJF: Changes in serum ferritin and other 'acute phase' proteins following major surgery 290

RUSSELL LJ *see* BUCKLEY BM *et al.*

RUTGERS H *see* KWARTS E *et al.*

SAID BA *see* MAJKIĆ-SINGH N *et al.*

Saliva, plasma and amniotic fluid, rapid assay for 17 $\alpha$ -OH-progesterone using magnetisable solid-phase antiserum 417

SAMMONS HG *see* BERG JD *et al.*

SANDERS DJ *see* ZAHEDI-ASL S and SANDERS DJ

Sandwich enzyme immunoassay technique, evaluating  $\beta$ -D-galactosidase from *Escherichia coli* and horseradish peroxidase as labels 310

SANSON LN *see* BADCOCK NR *et al.*

SAVORY DJ: Interference by Sotalol with the Pisano method for urinary metanephrenes: technical note 446

SCHECHT IM *see* GEBHARDT DOE *et al.*

SCHOLTEN MNM *see* LEIJTEN JF *et al.*

SCHORAH CH *see* NEWILL A *et al.*

SCOTT A *see* HUNTER WM *et al.*

SCOTT NR, CHAKRABORTY J and MARKS V: Determination of caffeine, theophylline and theobromine in serum and saliva using high-performance liquid chromatography 120

SCOTT PH, BERGER HM and WHARTON BA: A critical assessment of plasma alkaline ribonuclease as an indicator of protein nutritional status in infancy 357

SEDDON R *see* BRAVEN J *et al.*

Sera, assaying quality control 64

Serotonin, in cerebrospinal fluid, platelet-rich plasma, serum and urine, paired-ion liquid chromatography assay 425

SHERWOOD RA *see* ROCKS BF *et al.*

SHIMOTSUJI T *see* BANDO K *et al.*

SIGGAARD-ANDERSEN O *see* MAAKS AHJ *et al.*

SILINK M *see* EROSS J *et al.*

SIMPSON D *see* JARVIE DR and SIMPSON D

Singapore experience, quality assurance, Third World 193

SMITH AM *see* WARD AM *et al.*

SMITH IM *see* ROBERTS I and SMITH IM

SMITH JM *see* PEARSON S *et al.*

SMITH MJ *see* YOUNG RM *et al.*

Sotalol, interference with Pisano method for urinary metanephrenes: technical note 446

SPASIĆ *see* MAJKIĆ-SINGH N *et al.*

Specific protein assay (SPS-01), preparation of calibration material 254

STEKELENBURG GJ VAN *see* VAN STEKELENBURG GJ

STUART M *see* COMPTON P *et al.*

Surgery, major, changes in serum ferritin and other 'acute phase' proteins following 290

SUWANRAJ C *see* LINPISARN S *et al.*

TAN I-K and JACOB E: Quality assurance in the Third World—the Singapore experience 193

TAYLOR GF, DUONG T and CARTER NG: Gas-chromatographic determination of urinary catecholamine metabolites: correspondence reply 148

TAYLOR WH *see* ROBERTS NB *et al.*

Technical notes

- A carbodiimide-assisted coupling of albumin to agarose 57
- An improved method for separation of bound and free fractions in a free-T<sub>4</sub> kit 444
- Effect of heparin on determination of plasma albumin by Beckman Astra 8 (BCG) and Du Pont ACA II (BCP) autoanalyzers 387
- Interference by Sotalol with the Pisano method for urinary metanephrenes 446

THANANGKUL O *see* LINPISARN S *et al.*

Theobromine, in serum and saliva, determination using high-performance liquid chromatography 120

THEODOSSI A and GAZZARD BG: Have chemical tests a role in diagnosing malabsorption?: review article 153

Theophylline, serum

- by fluorescence polarisation immunoassay 523
- and saliva, determination using high-performance liquid chromatography 120

Thimerosal interference, cholesterol estimation, CHOD-PAP method 146

THOMPSON RA *see* WARD AM *et al.*

Thyroid hormone concentrations and free thyroxine status, venous and capillary serum pairs, neonatal 306

Thyroxine

- enzyme immunoassay and preparation and characterization of alkaline phosphatase-thyroxine conjugates 434
- free, improved method for separation of bound and free fractions: technical note 444
- free, status, and thyroid hormone concentrations, venous and capillary serum pairs, neonatal 306
- and thyroxine-binding globulin, discriminant formulae for separation of diagnostic classes 40

TOYOSHIMA H *see* BANDO K *et al.*

2,4,6-Tribromo-3-hydroxybenzoic acid, with CHOD-PAP reagent, for HDL-cholesterol determination 430

TRINDER P and WEBSTER D: Determination of HDL-cholesterol using 2,4,6-tribromo-3-hydroxybenzoic acid with a commercial CHOD-PAP reagent 430

TRURAN PL *see* CUSICK PE *et al.*

TUCKERMAN JF *see* LOUGHLIN JF *et al.*

TURNER JM, HALL RA, WHITTAKER M and KRICKA LJ: Effects of storage and repeated freezing and thawing on plasma cholinesterase activity 363

Twin study, plasma constituents, inheritance 176

URBANOWICZ JSM *see* MOONSWAMI E *et al.*  
 Uric acid  
     enzyme-mediated reaction systems in measurement, problems 405  
     serum, enzymatic assay evaluation with 2,2'-azino-di(3-ethylbenzthiazoline-6-sulphonate)(ABTS) as chromogen 504  
 Urine  
     analysis, quantitative, external quality assessment 491  
     catecholamine metabolites, gas-chromatography: correspondence 148  
     paired-ion liquid chromatography assay for serotonin 425

VAN DER GEER F *see* LEIJTEN JF *et al.*  
 VANSTAPEL FJ and LISSENS WD: Free ionised calcium—a critical survey: review article 339  
 VAN STEKELBURG GJ: On the reliability of the Henderson—Hasselbalch equation in routine clinical acid-base chemistry: correspondence 224  
 Venous and capillary serum pairs, neonatal, thyroid hormone concentrations and free thyroxine status 306  
 VICKERS MF *see* ROBINSON PA and VICKERS MF  
 VINES R *see* EROSS J *et al.*  
 Vitamin C components, plasma levels, normal and diabetic subjects 488

WALFORD S, HOME PD and ALBERTI KGMM: A laboratory trial of two new blood-glucose reflectance meters featuring automatic external calibration 116  
 WARD AM, WHITE PAE, THOMPSON RA, SMITH AM, WHICHER JT, CHAMBERS RE, FIFIELD R, RICHES PG and HOBBS JR: Preparation of a calibration material for specific protein assay (SPS-01) 254  
 WARREN C *see* WHICHER JT *et al.*  
 WASHINGTON RJ *see* ERUK AA *et al.*  
 WATKINSON LR and FRASER CG: An inter-laboratory quality-assurance survey of emergency clinical biochemistry tests 494  
 WATSON D and READING A: Which amniotic fluid lung function tests and who should do them?: correspondence 334  
 WATSON PJQ *see* MOORE RA *et al.*  
 WEBSTER D *see* TRINDER P and WEBSTER D

WEINKOVE C: Reversal of aluminium inhibition of enzymatic O-methylation by desferrioxamine: correspondence reply 223  
 WESTON J *see* KILPATRICK DC and WESTON J  
 WHARTON BA *see* SCOTT PH *et al.*  
 WHICHER JT: The role of immunoglobulin assays in clinical medicine: review article 461  
 WARREN C and CHAMBERS RE: Immunochemical assays for immunoglobulins: review article 78  
     *see also* CHAMBERS RE *et al.* and WARD AM *et al.*  
 WHITE PAE *see* WARD AM *et al.*  
 WHITE WA and ATTWOOD EC: Immunofixation and immunosubtraction on agarose gel: an aid in the typing of monoclonal gammopathies 467  
 WHITEHEAD TP *see* LINPISARN S *et al.*  
 WHITFIELD JB and MARTIN NG: Blood pressure and chemistry: some correlations and apparent correlations 257  
 The effects of inheritance on constituents of plasma: a twin study on some biochemical variables 176  
 WHITTAKER M *see* BRAVEN J *et al.* and TURNER JM *et al.*  
 WOLTHERS BG *see* MUSKET FAJ and WOLTHERS BG  
 WOOD PJ *see* RUBIN C *et al.*  
 WORTHY E *see* BENNETT MJ *et al.*  
 WORWOOD M *see* PERERA P and WORWOOD M

YING FOO A *see* MAYNE PD *et al.*  
 YOUNG RM, SMITH MJ and PAYNE RB: Serum theophylline by fluorescence polarisation immunoassay 523  
 YUEN CT, KIND PRN, PRICE RG, PRAILL PFG and RICHARDSON AC: Colorimetric assay for N-acetyl- $\beta$ -D-glucosaminidase (NAG) in pathological urine using the  $\omega$ -nitrostyryl substrate: the development of a kit and the comparison of manual procedure with the automated fluorimetric method 295

ZAHEDI-ASL S and SANDERS DJ: Addition of dehormonized, deproteinized plasma to glucagon RIA increases the steepness and sensitivity of standard curves: technical note 332  
 ZIJLSTRA WG *see* MAAS AHJ *et al.*  
 ZUYDERHOUDT FMJ and LINTHORST C: The microheterogeneity of human liver and serum ferritins measured on minute amounts of ferritin in crude samples 471